

Europäische **Patentamt**

European **Patent Office** Office européen des brevets

Rec'd PCT/PTO

19 INN 2005

REC'D 0 8 SEP 2003 PCT WIPO

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application conformes à la version described on the following page, as originally filed.

Les documents fixés à cette attestation sont initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr.

Patent application No. Demande de brevet nº

02445097.5

PRIORITY

COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts; Im Auftrag

For the President of the European Patent Office Le Président de l'Office européen des brevets p.o.

R C van Dijk



Anmeldung Nr:

Application no.: 02445097.5

Demande no:

Anmeldetag:

Date of filing: 12.07.02

Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Sony Ericsson Mobile Communications AB

221 88 Lund SUEDE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention: (Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung. If no title is shown please refer to the description. Si aucun titre n'est indiqué se referer à la description.)

Multifunctional connection pads

In Anspruch genommene Prioriät(en) / Priority(ies) claimed /Priorité(s) revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/Classification internationale des brevets:

H04M1/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

1 Name of invention

Multifunctional Connection Pads

2 Inventor(s)

GUG/BM Stig Frohlund GUG/BM Stjepan Begic GUG/BC Heino Wendelrup

3 Background

The Mobile Phone can today be seen as a mature type of product. To just make phone-calls is no longer enough to attract potential buyers. Today it's necessary to add functions. At the same time the type of added functions are changing rapidly making it difficult to rapidly respond to these demands.

4 State-of-the-art

When designing/developing new products the set of functions is defined already at the project start and can not easily be changed later on.

5 Problem

To add a new function in an on-going project results in major re-design work and delayed product launch.

Solution


6 Solution


An array of connection pads is located on a core.

The pads connect to the outer covers having integrated functions.

 The connection pads are arranged in way that both data and power supply signals can be transferred to the outer covers.

• The pads are positioned on the keyboard PCB.





7 Merits of Invention

- Today's mobile phones are compact and dense with almost no room for additional connection pads on the main PCB. By using an unused area on the keyboard PCB the outer dimensions of the product can be kept.
- The integrated functions in the outer covers can be developed separately and added in a late stage of the product development.
- It's possible to extend the time that the product is on the market by upgrading it with new functions in the covers and upgraded software.
- The integrated functions can be as simple as a mini touch or as complex as a digital camera module due to the possibility to connector both data and power supply signals.

1. Communication terminal, including any of the features specified in the foregoing description and/or illustrated in the appended drawings.

5

- 2. Connector arrangement for a communication terminal, including any of the features specified in the foregoing description and/or illustrated in the appended drawings.
- 10 3. Active housing for a communication terminal, including any of the features specified in the foregoing description and/or illustrated in the appended drawings.
- 4. Core terminal unit for a communication terminal, including any of the features specified in the foregoing description and/or illustrated in the appended drawings.

uccessarily the Keybowd-pcb. not Isame signals as for Connection goods System Connector Jai connection of Electronicouter covers circuits of phone Signals to phones electronity circuis signals to system-connector system-connector

* signals to connection-pads for order covers


can be of any kind and if any numbers

thereby not occupying same signals as

io insterm-connectors

BEST AVAILABLE COPY

Alt. Positions of connection goods on core connecting to onler covers.



BEST AVAILABLE COPY

pogo-pin-lype
connector
pcb
pcb
outer covers

peh under Ebrers
lead-spring. Inpe
innector

plated surface on peb-edge

puds on pub

elastomer-uppe

connector

BEST AVAILABLE COPY